

Program Analyser (tutorial)

Input

A Program which has the following format:

```
<Program>::=<sentence><line break>{<sentence><line break>}
<sentence>::=<level><space><body>
<body>::=<addition> | <output> | <goto> | <condition> | <end>
<addition>::=<variable>+<integer>
<output>::=<variable>?
<goto>::=GO<space><level>
<condition>::=IF<space><variable>=<integer><space><goto>
<end>::=END
<variable>::=<character>
<level>::=<integer>
<integer>::=<digit>{<digit>}
<character>::=A|B|C|D|E|F|G|H|I|J|K|L|M|N|O|P|Q|R|S|T|U|V|W|X|Y|Z
<digit>::= 0|1|2|3|4|5|6|7|8|9
<line break>::=(ASCII 10)
<space>::=(ASCII 32)
```

The program runs following the following rules:

- Program starts from the sentence whose level is minimum, and executed by the level from low to high except that the sentence is <goto> or <condition>.
- All variables are initialized to 0.
- <Addition> means <variable> += <integer> in C++.
- <output> means write the value of <variable> to the output file (we aren't interested about the real output file.)
- <condition> means if and only if the value of the <variable> equals to <integer>, <goto> will be executed, otherwise the next sentence executed is as usual.
- After <goto>, the next sentence executed is the sentence with level which equals to the level in <goto>.
- Program terminates by itself when <end> is executed.
- This program can deal with all the signed 32-bit integers.
- The number of sentences in the program is not more than 100.
- The length of each line in the input file is not more than 20.
- The input is correct.
- The sentence with the maximum level is always <end>.
- The levels is not more than 3000.

Input terminate by EOF.

Output

Output the number of sentences executed. If the program can not terminate by itself, output -1.

Example

Input:
10 A+1

```
20 IF A=5 GO 60
60 END
30 A+2
40 A?
50 GO 20
```

Output:

11

Hint:

10->20->30->40->50->20->30->40->50->20->60