

Herdkeeper

After the tragic end of the watermelon plantation, Johnny has switched to farming. More precisely, he is now a Certified Livestock Supervisor (i.e. shepherd) tending herds of antelope. It is his task to divide the animals into herds, and to build a fence around each herd, trying to keep the total length of all fences as small as possible. Each herd must consist of at least 2 antelope, and the antelope may stand arbitrarily close to the fence itself.

Input

t [the number of test cases ≤ 1000]
 n [$2 \leq$ the number of antelope ≤ 100]
 $x_1 y_1$ [coordinates of the antelope, between -1000 and 1000]
 $x_2 y_2$
.....
 $x_n y_n$
[next test cases]

Output

case i Y [N - if you want to skip the testcase]
 c [the number of herds]
 $a s_1 s_2 \dots s_a$ [$2 \leq a$ - the number of antelope in the first herd, and the numbers of the antelope in this herd in the order from the input sequence]
[next test cases]

Scoring

The score awarded to your program is the sum of scores for individual test cases. For the i -th test case you will receive $1 / (1 + \text{sum} / \text{conv})$ points, where sum is the sum of circumferences of all convex hulls of herds in your solution, and the conv is the circumference of the convex hull of the set of all antelope. If you don't want to solve the i -th test case, you may output the line 'case i N ' and nothing else.

Example

Input:

```
6
2
0 0
5 0
3
4 0
-4 -5
2 3
5
```

20 10
10 10
40 50
-20 -40
-30 -20
4
2 4
2 -4
2 0
-5 -3
3
2 4
-4 -4
2 3
4
-1 -3
-1 5
3 -5
-1 5

Output:

case 1 Y
1
2 1 2
case 2 Y
1
3 1 2 3
case 3 Y
2
3 1 2 3
2 4 5
case 4 Y
2
2 1 4
2 2 3
case 5 Y
1
3 1 2 3
case 6 Y
1
4 1 2 3 4

Score:

3.079001

Bonus info: If score = xxx.xxxaaa, aaa means the number of test cases with score > 0.5