

# Help R2-D2!

In Episode III of Star Wars (whose alleged title is "How I became Vader"), R2-D2 (Artoo-Detoo) is again confronted to a tedious work. He is responsible for the loading of the republic transport starships in the fastest way. Imagine a huge space area where  $n$  starships are parked. Each starship has a capacity of  $K$  cubic femtoparsec. Containers  $C_i$  arrive one at a time with some volume  $v_i$  (expressed in cubic femtoparsec). R2-D2 wants to minimize the number of starships used for a given sequence of containers.

Smart as he is, R2-D2 knows for sure that the problem is a hard one, even with the force being around. Here is the heuristics he selected to solve his problem. Start with all starships ready to load, and numbered  $S_0, S_1, \dots$ . When a container  $C_j$  arrives, select the starship of minimal index  $i$  that can contain  $C_j$  and put it in  $S_i$ . In some sense, this heuristic minimizes the move of the container arriving before its loading.

At the end of the  $n$  arrivals, R2-D2 counts the number  $s$  of starships used and he measures the total waste  $w$  of the sequence. For  $i=0..s-1$ , the waste in starship  $i$  is given by the unused volume.

Your task is to simulate the algorithm of R2-D2.

## Input

The first line of the input contains a number  $T \leq 10$  that indicates the number of test cases to follow. Each test case begins with  $K$  on a line ( $K \leq 1000$ ), followed by the number of containers in the sequence,  $n$ , on the second line ( $1 \leq n \leq 1000000$ ). There are two possible formats for the remaining lines. If it contains one integer, then this is the next  $v_i$ . If it begins with the character  $b$  (for block), it is followed by 2 integers  $r$  and  $v$ . This means that the  $r$  next containers arriving have volume  $v$ .

## Output

Your program must output the number  $s$  of starships used, followed by a blank, followed by the total waste  $w$ .

You can assume, that at most 100000 starships are needed, and R2-D2 has to change the starships in which the next container is loaded at most 100000 times.

## Example

### Input:

```
2
100
3
50
25
70
100
4
50
b 2 40
```

20

**Output:**

2 55

2 50