

# Primitive Root

In the field of Cryptography, prime numbers play an important role. We are interested in a scheme called "Diffie-Hellman" key exchange which allows two communicating parties to exchange a secret key. This method requires a prime number  $p$  and  $r$  which is a primitive root of  $p$  to be publicly known. For a prime number  $p$ ,  $r$  is a primitive root if and only if its exponents  $r, r^2, r^3 \dots r^{p-1}$  are distinct (mod  $p$ ).

Cryptography Experts Group (CEG) is trying to develop such a system. They want to have a list of prime numbers and their primitive roots. You are going to write a program to help them. Given a prime number  $p$  and another integer  $r < p$ , you need to tell whether  $r$  is a primitive root of  $p$ .

## Input

There will be multiple test cases. Each test case starts with two integers  $p$  ( $p < 2^{31}$ ) and  $n$  ( $1 \leq n \leq 100$ ) separated by a space on a single line.  $p$  is the prime number we want to use and  $n$  is the number of candidates we need to check. Then  $n$  lines follow each containing a single integer to check. An empty line follows each test case and the end of test cases is indicated by  $p=0$  and  $n=0$  and it should not be processed. The number of test cases is at most 60.

## Output

For each test case print "YES" (quotes for clarity) if  $r$  is a primitive root of  $p$  and "NO" (again quotes for clarity) otherwise.

## Example

### Input:

```
5 2
3
4
```

```
7 2
3
4
```

```
0 0
```

### Output:

```
YES
NO
YES
NO
```

## Explanation

In the first test case  $3^1, 3^2, 3^3$  and  $3^4$  are respectively 3, 4, 2 and 1 (mod 5). So, 3 is a primitive root of 5.

$4^1, 4^2, 4^3$  and  $4^4$  are respectively 4, 1, 4 and 1 respectively. So, 4 is not a primitive root of 5.

