

Travelling cost

The government of **Spoj_land** has selected number of locations in the city for road construction and numbered those locations as 0,1,2,3,.....500.

Now, they want to construct roads between various pairs of location(say **A** and **B**) and have fixed the cost for travelling between those pair of locations from either end as **W unit**.

Now , Rohit being a curious boy wants to find the minimum cost for travelling from location **U** (source) to **Q** number of other locations (destination).

Input

First line contains **N** ,the number of roads that government constructed.

Next N line contains three integers **A** ,**B**, and **W**.

A and B represent the locations between which the road was constructed and W is the fixed cost for travelling from A to B or from B to A.

Next line contains an integer **U** from where Rohit wants to travel to other locations.

Next line contain **Q** , the number of queries (finding cost) that he wants to perform.

Next Q lines contain an integer **V** (destination) for which minimum cost is to be found **from U**.

Output

Print the required answer in each line.

If he can't travel from location U to V by any means then, print '**NO PATH**' without quotes.

Example

Input:

```
7
0 1 4
0 3 8
1 4 1
1 2 2
4 2 3
2 5 3
3 4 2
0
4
1
4
```

5
7

Output:

4
5
9
NO PATH

Constraints:

$1 \leq N \leq 500$

$0 \leq A, B \leq 500$

$1 \leq W \leq 100$

$0 \leq U, V \leq 500$

$1 \leq Q \leq 500$

Explanation:

Query #1.

0->1: cost =4

Query #2.

0->4= 0->1->4 cost=4+1=5

Query #3.

0->5= 0->1->2->5 cost=4+2+3=9

Query #4.

0->7= no path exist between 0 and 7